

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 02/11/2014 Revision date: 02/11/2014 Version: 1.0

SECTION 1: Identification of the 1.1. Product identifier Product name	substance/mixture and of the company/undertaking
Product name	
	: NON-CHLORINATED BRAKE CLEANER
Product code	: 732
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Brake and Parts Cleaner
1.3. Details of the supplier of the sa	fety data sheet
The Penray Companies, Inc. 440 Denniston Ct. Wheeling, IL 60090 T (800) 373-6729	
Manufactured For: Aftermarket Auto Parts Alliance San Antonio, TX 78258 210-492-4868 www.alliance1.com	
1.4. Emergency telephone number	
Emergency number	: (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr
<b>SECTION 2: Hazards identification</b>	on
2.1. Classification of the substance	or mixture
GHS-US classification	
Eye irritation 2A Reproductive toxicity 2	
Specific target organ toxicity - Single expos Specific target organ toxicity - Repeated ex Aspiration hazard 1 2.2. Label elements	
Specific target organ toxicity - Repeated ex         Aspiration hazard 1         2.2.       Label elements	
Specific target organ toxicity - Repeated ex Aspiration hazard 1	
Specific target organ toxicity - Repeated ex Aspiration hazard 1 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US)	posure 2 T $K_{GHS02}$ $K_{GHS04}$ $K_{GHS07}$ $K_{GHS08}$
Specific target organ toxicity - Repeated ex Aspiration hazard 1 2.2. Label elements GHS-US labelling	posure 2

EN (English)



### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### 2.3. Other hazards

#### No additional information available

2.4. Unknown acute toxicity (GHS-US)

22 % of the mixture consists of ingredient(s) of unknown acute toxicity.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	30 - 60	Flam. Liq. 2 Eye Irrit. 2A STOT SE 3
Heptane, branched, cyclic and linear	(CAS No) 426260-76-6	15 - 40	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
n-Heptane	(CAS No) 142-82-5	10 - 30	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	7 - 13	Flam. Liq. 3 Acute Tox. 4 (Dermal, Inhalation) Skin Irrit. 2
Carbon dioxide	(CAS No) 124-38-9	3 - 7	Compressed gas
The exact percentage (concentration) of composition has been	withheld as a trade secret in accordance	with paragraph (i) of	§1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	<ul> <li>If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never giv anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.</li> </ul>
4.2. Most important symptoms and ef	ffects, both acute and delayed
Symptoms/injuries after inhalation	: Vapours may cause drowsiness and dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Treat for surrounding material.		
Unsuitable extinguishing media	None known.		
5.2. Special hazards arising from the su	. Special hazards arising from the substance or mixture		
Fire hazard	: Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon.		
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.		
5.3. Advice for firefighters			
Firefighting instructions	: Cool closed containers exposed to fire with water.		
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapours may be heavier than air and may travel along the ground to a distant ignition source and flash back.		



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 6: Accidental		
	is, protective equipment and emerge	
Seneral measures	unnecessary and u	ection recommended in Section 8. Isolate the hazard area and deny entry to inprotected personnel.
	al for containment and cleaning up	
For containment	vermiculite), then p	of ignition. Contain and/or absorb spill with inert material (e.g. sand, place in a suitable container. Do not flush to sewer or allow to enter waterwa ersonal Protective Equipment (PPE).
Nethods for cleaning up	: Scoop up material	and place in a disposal container. Provide ventilation.
3.3. Reference to other s	sections	
See section 8 for further inform	ation on protective clothing and equipme	ent and section 13 for advice on waste disposal.
SECTION 7: Handling a	nd storage	
7.1. Precautions for safe	handling	
Precautions for safe handling	ignition source. President skin and eyes. Do	burces of ignition No smoking. Do not spray on an open flame or other essurized container: Do not pierce or burn, even after use. Avoid contact wit not swallow. Do not breathe gas, fumes, vapour or spray. When using do no e. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Launder contamina	ated clothing before reuse. Wash hands before eating, drinking, or smoking.
	storage, including any incompatibiliti	
Storage conditions	122°F. Store away	d out of reach of children. Do not expose to temperatures exceeding 50°C/ from direct sunlight or other heat sources.
Storage area	: Store in a well-ven	tilated place.
7.3. Specific end use(s) Not available.		
	controls/personal protection	
3.1. Control parameters		
Acetone (67-64-1) USA ACGIH		500 ppm
USA ACGIH	ACGIH TWA (ppm)	500 ppm
USA OSHA	ACGIH STEL (ppm)	750 ppm
	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2400 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
n-Heptane (142-82-5)		
USA ACGIH	ACGIH TWA (ppm)	400 ppm
USA ACGIH	ACGIH STEL (ppm)	500 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2000 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	500 ppm
Vulence (c. m. m. icomore)	(4220.20.7)	
Xylenes (o-, m-, p- isomers) USA ACGIH	(1330-20-7) ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm)	150 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	435 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ngm)	100 ppm
004 00114		
Carbon dioxide (124-38-9)		
USA ACGIH	ACGIH TWA (ppm)	5000 ppm
USA ACGIH	ACGIH STEL (ppm)	30000 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	9000 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	5000 ppm
	•	



### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties
Physical state	: Gas/Pressurized Liquid.
Appearance	: Clear.
Colour	: Colourless.
Odour	: Solvent.
Odour threshold	: No data available.
рН	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: No data available.
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Solubility	: No data available.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

**Other information** 9.2.

No additional information available SECTION 10: Stability and reactivity 10.1. Reactivity No dangerous reaction known under conditions of normal use. 10.2. **Chemical stability** Stable under normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. 10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use. 10.4. **Conditions to avoid** Heat. Incompatible materials. Sources of ignition. **Incompatible materials** 10.5. Strong oxidizing agents. Hazardous decomposition products 10.6. May include, and are not limited to: oxides of carbon. SECTION 11: Toxicological information Information on toxicological effects 11.1. : Based on available data, the classification criteria are not met. Acute toxicity 732 LD50 oral rat > 2000 mg/kg 02/11/2014 EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

732	
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Acetone (67-64-1)	
LD50 oral rat	5800 mg/kg
LC50 inhalation rat (mg/l)	50100 mg/m³/8h
n-Heptane (142-82-5)	
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat (mg/l)	103 g/m³/4h
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	4300 mg/kg
LD50 dermal rabbit	> 1700 mg/kg
ATE (dust,mist)	1.5 mg/l/4h
	: Causes skin irritation.
Skin corrosion/irritation	
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Xylenes (o-, m-, p- isomers) (1330-20-7)	
IARC group	3
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
1 3	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure
,	: May be fatal if swallowed and enters airways
	: Vapours may cause drowsiness and dizziness.
	<ul> <li>Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.</li> </ul>
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

### **SECTION 12: Ecological information**

12.1.	Toxicity		
Ecology	- general	: May cause long-term adverse effects in the aquatic environment.	
12.2.	Persistence and degradability		
732			
Persis	tence and degradability	Not established.	
12.3.	Bioaccumulative potential		
732			
Bioaco	cumulative potential	Not established.	
12.4.	Mobility in soil		
No addi	tional information available		
12.5.	Other adverse effects		
No addi	tional information available		
SECTION 13: Disposal considerations			
13.1.	Waste treatment methods		
Waste c	lisposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.	

Additional information

: Flammable vapours may accumulate in the container. Do not incinerate closed containers.




Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 14: Transp	ort information		
In accordance with DOT:			
14.1. UN number			
UN-No.	LIN	1950	
	-	1000	
14.2. UN proper shipp	•		
Proper Shipping Name		osols, flammable, (each not exceeding 1 L capacity)	
Hazard Classes	2.1		
Hazard labels		2	
14.3. Additional informat	ion		
Other information	: No	supplementary information available.	
Special transport precaution	s : Do	not handle until all safety precautions have been read and understood.	
SECTION 15: Regulat	tory information		
15.1. US Federal regulation			
Acetone (67-64-1)	TOOA (Taula Outation )		
	s TSCA (Toxic Substances C	, ,	
EPA TSCA Regulatory Fla	<b>.</b>	T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
	c and linear (426260-76-6)		
	s TSCA (Toxic Substances C	Control Act) inventory	
Xylenes (o-, m-, p- isome			
	s TSCA (Toxic Substances 0 13 (Specific toxic chemical list		
SARA Section 313 - Emiss			
n-Heptane (142-82-5)			
	s TSCA (Toxic Substances (	Control Act) inventory	
EPA TSCA Regulatory Fla		T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
Carbon diaxida (124.29.0		· · · · · · · · · · · · · · · · · · ·	
Carbon dioxide (124-38-9	y s TSCA (Toxic Substances (	Control Act) inventory	
15.2. US State regulations			
732() State or local regulations		This product contains chemicals known to the State of California to cause cancer, birth	
State of local regulations		defects or other reproductive harm.	
SOURCE AGENCY CARCI	NOGEN CLASSIFICATION	S:	
IARC (I)	International Agency for	Research on Cancer.	
	1 - Carcinogenic to human		
	2A - Probably carcinogenic to humans;		
	2B - Possibly carcinogenic to humans; 3 - Not classifiable;		
	4 - Probably not carcinogenic to humans.		
NTP (N)	National Toxicology Prog	-	
	<ol> <li>Evidence of Carcinoger</li> <li>Known Human Carcino</li> </ol>		
		igens; I to be Human Carcinogen;	
4 - Substances delisted from report on Carcinogens;			
	5 - Twelfth Report - Items	under consideration.	

### **SECTION 16: Other information**

Indication of changes	:	None.
Other information	:	None.
NFPA health hazard	:	2
NFPA fire hazard	:	4





Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

NFPA reactivity

0 :

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

