

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Date of issue: 11/15/2016 Revision date: 11/15/2016 Version: 1.0

## **SECTION 1: Identification**

1.1. Identification

Product name : NON-CHLORINATED BRAKE & PARTS CLEANER

Product code : 7345

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Brake Cleaner

1.3. Details of the supplier of the safety data sheet

The Penray Companies, Inc.

440 Denniston Ct. Wheeling, IL 60090 T (800) 373-6729

Manufactured For:

Aftermarket Auto Parts Alliance

San Antonio, TX 78258

210-492-4868

www.alliance1.com

## 1.4. Emergency telephone number

Emergency number : (800) 373-6729

CHEMTREC (800) 424-9300

CHEMTREC International +1 (703) 527-3887 24 hr

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### **GHS-US** classification

Flam. Liquid 1

Skin Irrit. 2

Repr. 2

STOT SE 3

STOT RE 2

Asp. Tox. 1

## 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS02



GHS07



GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Extremely flammable Liquid

Causes skin irritation

Suspected of damaging fertility or the unborn child

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Keep away from heat, sparks, open flames, hot surfaces. - No smoking

11/15/2016 EN (English US) Page 1

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Wash hands, forearms and face thoroughly after handling

Wear protective gloves, protective clothing, eye protection, face protection

Do not breathe dust, fume, gas, mist, vapors, spray Use only outdoors or in a well-ventilated area If exposed or concerned: Get medical advice/attention

If on skin: Wash with plenty of water

Take off contaminated clothing and wash it before reuse If skin irritation occurs: Get medical advice/attention

If inhaled: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER/doctor if you feel unwell

If swallowed: Immediately call a POISON CENTER/doctor

Do NOT induce vomiting Store in a well-ventilated place.

Store locked up

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Heptane, branched, cyclic and linear	(CAS No) 426260-76-6	60 - 100
Toluene	(CAS No) 108-88-3	10 - 20
n-Heptane	(CAS No) 142-82-5	1- 5
(Note C)		

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking

or the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Foam. Water spray.

11/15/2016 EN (English US) 2/7

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Unsuitable extinguishing media : Do not use water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Products of combustion may include, and are not limited to:

oxides of carbon.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Reactivity : No dangerous reaction known under conditions of normal use.

5.3. Advice for firefighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Use water spray to keep fire-exposed containers cool.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

For containment

: Eliminate all ignition sources if safe to do so. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up

Scoop up material and place in a disposal container. Use only non-sparking tools. Provide ventilation.

## 6.4. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.

Precautions for safe handling

: Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, vapors, spray. Do not swallow. Handle and open container with care. When using do not eat, frink or smoke. Use personal protective equipment as

required. Use only outdoors or in a well-ventilated area.

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Hygiene measures

: Proper grounding procedures to avoid static electricity should be followed.

Storage conditions

: Keep locked up and out of reach of children. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store away from direct sunlight or other heat sources. Store in a well-ventilated place.

Keep in fireproof place.

Incompatible materials : Heat sources. Direct sunlight.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

	Heptane, branched, cyclic and linear (426260-76-6)  Not applicable		
	Toluene (108-88-3)		
	ACGIH TWA (ppm) 20 ppm		

11/15/2016 EN (English US) 3/7

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Toluene (108-88-3)		
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
OSHA	OSHA PEL (Ceiling) (ppm)	300 ppm
n-Heptane (142-82-5)		
ACGIH	ACGIH TWA (ppm)	400 ppm
ACGIH	ACGIH STEL (ppm)	500 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	2000 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	500 ppm

## 8.2. Exposure controls

Odor threshold

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands

carefully before eating or smoking. Handle according to established industrial hygiene and

safety practices.

: No data available

: No data available

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Aerosol
Color : Clear
Odor : Solvent

pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Flammable
Vapor pressure : No data available

Vapor pressure Relative vapor density at 20 °C No data available Relative density : No data available Solubility No data available Partition coefficient n-octanol/water : No data available No data available Auto-ignition temperature Decomposition temperature No data available Viscosity, kinematic No data available Viscosity, dynamic No data available

Explosive properties : Pressurized container: may burst if heated.

Oxidizing properties : No data available

#### 9.2. Other information

**Explosion limits** 

VOC content : 100 %

11/15/2016 EN (English US) 4/7

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight.

#### 10.5. Incompatible materials

Symptoms/injuries after inhalation

Strong oxidizing agents. Strong reducing agents.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

7345	
LD50 oral rat	> 2000 mg/kg (Calculated acute toxicity estimate)
LD50 dermal rabbit	> 2000 mg/kg (Calculated acute toxicity estimate)
LC50 inhalation rat	> 5 mg/l/4h (Calculated acute toxicity estimate)

Toluene (108-88-3)	
LD50 oral rat	2600 mg/kg
LD50 dermal rabbit	12000 mg/kg
LC50 inhalation rat	12.5 mg/l/4h

n-Heptane (142-82-5)	
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat	103 g/m³/4h

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Toluene (108-88-3)	
IARC group	3 - Not classifiable

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

Specific target organ toxicity – single exposure : May cause drowsiness or dizziness.

Specific target organ toxicity – repeated : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

Aspiration riazaru . May be ratar ii swallowed and enters anways.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking

: May cause drowsiness or dizziness.

of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

11/15/2016 EN (English US) 5/7

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Toluene (108-88-3)	
LC50 fish 1	15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)

n-Heptane (142-82-5)	
LC50 fish 1	375.0 mg/l (Exposure time: 96 h - Species: Cichlid fish)

#### 12.2. Persistence and degradability

7345	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

7345	
Bioaccumulative potential	Not established.
Toluene (108-88-3)	
Partition coefficient n-octanol/water	2.7
n-Heptane (142-82-5)	
Partition coefficient n-octanol/water	4.66

#### 12.4. Mobility in soil

Additional information

No additional information available

## 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste disposal recommendations : Pressurized container: Do not pierce or burn, even after use. This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste

should be avoided or minimized wherever possible.

: Flammable vapors may accumulate in the container.

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

Proper Shipping Name : Flammable liquids, n.o.s. (Heptane, Toluene)

Department of Transportation Hazard Classes : 3
Hazard labels :



Packing group (DOT) : II

## **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

11/15/2016 EN (English US) 6/7

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Toluene (108-88-3)		
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ 1000 lb		
SARA Section 313 - Emission Reporting 1.0 %		
n-Heptane (142-82-5)		
EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		

### 15.2. International regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Toluene (108-88-3)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	Yes	No	No	

Naphthalene (91-20-3)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)		
Yes	No	No	No	5.8 μg/day		

## Toluene (108-88-3)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

## n-Heptane (142-82-5)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## Naphthalene (91-20-3)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

## **SECTION 16: Other information**

Date of issue : 11/15/2016
Revision date : 11/15/2016
Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com

NFPA health hazard : 2
NFPA fire hazard : 4
NFPA reactivity : 0





Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

11/15/2016 EN (English US) 7/7