

PRO PRO FORM

SAFETY DATA SHEET

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

PRODUCT: AV 7684 DOUBLE SIDED TAPE 1/2" by 15 '

SECTION 01: Chemical product and company identification

| Product name | AV 7684 DOUBLE SIDED TAPE 1/2" by 15 ' |
|---------------------------|---|
| Manufactured for | Aftermarket Auto Parts Alliance, Inc |
| | 2706 Treble Creek, Suite 100 |
| | San Antonio, TX 78258 |
| 24 hour emergency number: | IN CANADA CALL CANUTEC (613) 996-6666-IN THE UNITED STATES CALL |
| | CHEMTREC (800) 424-9300. |
| Material use | |
| | described in this section. |
| Chemical family | |
| Preparation date | |
| Hazard rate | H:0 F:0 R:0. |
| NFPA rating | Health: 0 Fire: 0 Reactivity: 0. |

SECTION 02: Hazards identification

| Signal Word | Not a |
|-----------------------|--------|
| Hazard Classification | Not cl |
| Hazard Description | Not cl |

Not a classified or a controlled product.
Not classified.
Not classified.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS

CAS #

Not applicable

WT. %

100

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL

SECTION 04: First aid measures

| Eye contact | In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at |
|------------------------|---|
| Skin contact | least 15 minutes. Wash slowly with lukewarm water. |
| Inhalation | Not applicable. |
| Ingestion | |
| Additional information | Not applicable. In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet. |

SECTION 05: Fire fighting measures

| Extinguishing media Hazardous combustion products Special fire fighting procedures | Use extinguishing media for surrounding fire. Oxides of carbon (CO, CO2). Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes. Solvent vapours may be heavier than air and may build up and travel along the ground to an ignition source, which may result in a flash back to the source of the vapours. Cool fire-exposed containers with |
|--|--|
| | cold water spray. Heat will cause pressure buildup and may cause explosive rupture. |

SECTION 06: Accidental release measures

Leak/spill..... Pick up solids and put in a dust bin.

SECTION 07: Handling and storage

| Handling procedures | Employees should wash hands and face before eating or drinking. Keep away from heat, |
|---------------------|---|
| Storage needs | sparks, and open flame. Keep container closed when not in use. Store away from oxidizing and reducing materials. |
| eterage neede | Store away from sunlight. |

SECTION 08: Exposure controls / personal protection

| INGREDIENTS | ACGII TWA | | OSHA PEL | PEL STEL | NIOSH REL |
|--|----------------|----------------|----------------|----------------|----------------|
| PRODUCT IS AN ARTICLE AND NOT A CHEMICAL | Not applicable |

Eye/type..... Not applicable.

Page 1

PRODUCT: AV 7684 DOUBLE SIDED TAPE 1/2" by 15 '

SECTION 08: Exposure controls / personal protection

| Respiratory/type. N Gloves/ type. N Clothing/type. N Footwear/type. S Other/type. E Ventilation requirements. N | Not applicable. Not applicable. Safety boots per local regulations. Educate and train employees on the safe use and handling of the product. |
|---|---|
|---|---|

SECTION 09: Physical and chemical properties

| Physical state Colour Odour threshold (ppm) Vapour pressure (mm Hg) Vapour density (air=1) pH Specific gravity Freezing point (deg C) Solubility Boiling point (deg C) Evaporation rate Flash point (deg C), method Auto ignition temperature (deg C) Upper flammable limit (% vol) Lower flammable limit (% vol) Coefficient of water\oil distribution VOC Viscosity | Tape. (Prolonged storage may lead to discolouration.). Slight. Not applicable. Not applicable. |
|--|---|
|--|---|

SECTION 10: Stability and reactivity

| Stability Reactivity conditions | Stable at normal temperatures and pressures. Avoid heat, sparks and flames. Explosive reactions can occur in the presence of strong oxidizing agents. |
|------------------------------------|---|
| | Keep away from heat. Incompatible with strong oxidizers. Oxides of carbon (CO,CO2). Will not occur under normal temperature and pressure. |

SECTION 11: Toxicological information

| INGREDIENTS | | LC50 | LD50 |
|---|--|----------------|--|
| PRODUCT IS AN ARTICLE AND NOT A CHEM | /ICAL | Not applicable | Not applicable |
| Route of entry Effects of acute exposure Effects of chronic exposure Carcinogenicity of material Reproductive effects Toxicological Data | According to our expension occupational hygiene a Not applicable. Not applicable. | | perly and the usual rules of ild skin irritant. |

SECTION 12: Ecological information

Biodegradability..... No data.

SECTION 13: Disposal considerations

Waste disposal.....

..... Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

SECTION 14: Transport information

| TDG Classification DOT Classification (Road) IATA Classification (Air) IMDG Classification (Marine) Marine Pollutant Denot c Classification | Not regulated. Not regulated. Not regulated. No. |
|--|---|
| Proof of Classification | |

In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct.

SAFETY DATA SHEET

PRODUCT: AV 7684 DOUBLE SIDED TAPE 1/2" by 15 '

SECTION 15: Regulatory information

| CEPA status SARA Title III | This is an article and not subject to the DSL. |
|--|--|
| Section 302 - extremely hazardous | None. |
| Section 311/312 - hazard categories Section 313 | |
| | This product does not contain any chemical(s) listed on California's Proposition 65. |

SECTION 16: Other information