

### I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PRFSTOP DOT3 Brk FL 12/1

**Product Code:** PS20BFPL

**Emergency Phone:** CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

**Poison Control** (800) 222-1222

Center:

**Company:** Warren Distribution, Inc.

727 S. 13th Street Omaha, NE 68102

**Information Phone:** +01 (800) 825-1235 +01 (402) 341-9397

E-mail: sds@wd-wpp.com

#### II. HAZARDS IDENTIFICATION

Routes of Entry: Inhalation, Ingestion, Skin contact, Eye contact

**Target Organs:** Eyes, Skin, Kidneys **Chemical Interactions:** None known.

Conditions Aggravated Skin disease including eczema and sensitization, Eye disease, Kidney disease

by Exposure:

**Acute Health Effects:** 

**Inhalation Irritation:** No hazard in normal industrial use.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Eye Contact:** Contact with the eyes may cause moderate to severe eye injury. Eye contact may result

in tearing and reddening, but not likely to permanently injure eye tissue. Temporary

vision impairment (cloudy or blurred vision) is possible.

**Ingestion Irritation:** May be harmful or fatal if swallowed. Excessive exposure may cause central nervous

system effects, cardiopulmonary effects (metabolic acidosis), kidney failure, or death.

**Chronic Health Effects:** 

**Carcinogenicity:** Not a carcinogen according to NTP, IARC, or OSHA.

**Reproductive**No data available to indicate product or any components present at greater than 0.1%

**Toxicity:** may cause birth defects.

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is

mutagenic or genotoxic.

HMIS Ratings:NFPA Ratings:Health:3Health:3Fire:1Fire:1Reactivity:0Reactivity:0

PPE: B

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

#### III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Nan	ne	%	CAS#	OSHA Exposure Limits	
Ethanol, 2-(2-(	2-butoxyethoxy)ethoxy)-	15 - 40	143-22-6		
Ethanol, 2-(2-(	2-ethoxyethoxy)ethoxy)-	10 - 30	112-50-5		
Diethylene gly	col	10 - 30	111-46-6		
Ethanol, 2-(2-(	2-methoxyethoxy)ethoxy)-	7 - 13	112-35-6		
Tetraethylene	glycol monobutyl ether	5 - 10	1559-34-8		

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

#### IV. FIRST-AID MEASURES

**Inhalation:** This material does not present a hazard if inhaled. Remove individual to fresh air after

an airborne exposure if any symptoms develop, as a precautionary measure.

**Eyes:** Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or persists. **Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if

symptoms develop. Provide medical care provider with this SDS.

**Notes to Doctor:** No additional first aid information available.

#### V. FIRE FIGHTING MEASURES

Flammability Combustible at elevated temperatures

**Summary:** 

**Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water

or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into

the hot burning liquid.

Fire and/or Explosion

Hazards:

Material may be ignited only if preheated to temperatures above the high flash point, for

example in a fire.

Fire Fighting Methods

and Protection: Hazardous Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Carbon monoxide, Carbon dioxide, Nitrogen containing gases

**Combustion Products:** 

#### VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

**Methods for Clean-up:** 

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material. Gather and store in a sealed container pending a waste disposal evaluation. Do not flush to sewer.

## VII. HANDLING AND STORAGE

Handling Precautions: Mildly irritating material. Avoid unnecessary exposure.

Storage Conditions: Store in a cool dry place. Isolate from incompatible materials.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** No engineering controls are likely to be required to maintain operator comfort under

normal conditions of use.

**Respiratory** No respiratory protection required under normal conditions of use.

**Protection:** 

of oction.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory

protection.

**Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product.

Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne

material. Do not wear contact lenses. Have an eye wash station available.

**Skin Protection:** Where use can result in skin contact, practice good personal hygiene and wear

impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face

shield.

**Gloves:** Butyl rubber, Natural latex,, Polyvinyl chloride

**Chemical Name Occupational Exposure Limits** Value

None. **OSHA PEL** None. **IDLH** 

OSHA PEL-Skin Notation None.

## X. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid

Color: Colorless to pale yellow

Odor: Strong pH: 8.6

**Solubility in Water:** Complete: 100% Octanol/Water Not determined

**Partition Coefficient:** 

Not determined **Evaporation Rate:** 

**Vapor Density:** 

**Vapor Pressure:** Not determined

**Boiling Point (°C):** 260

Freezing Point (°C): Not determined

**Specific Gravity:** 1.04 8.71 **Density:** Flash Point (°C): 138

**Flash Point Method:** ASTM D 93 Not established **Upper Flammability** 

Limit, % in air:

**Lower Flammability** 

Not established

Limit, % in air:

### X. STABILITY AND REACTIVITY

Stable under normal conditions. **Stability:** 

**Conditions to Avoid:** Temperatures above the high flash point of this combustible material in combination

with sparks, open flames, or other sources of ignition. Dried product residue (can act as

an oxidizer). Impact or high temperatures can cause decomposition

**Materials to Avoid:** Strong acids, Strong oxidizing agents

Hazardous Decomp.

Aldehydes

**Products:** 

**Hazardous** Hazardous polymerization will not occur.

**Polymerization:** 

### XI. TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Although this product has a low order of acute oral toxicity, aspiration of minute **Ingestion:** 

amounts into the lungs during ingestion or vomiting may cause mild to severe

pulmonary injury and possibly death. No hazard in normal industrial use.

No absorption hazard in normal industrial use. **Absorption:** 

Eyes: This material is likely to be severely irritating to eyes based on animal data.

This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 Skin:

[rabbits]).

**Sensitization:** No data available to indicate product or components may be a skin sensitizer.

<b>Com</b>	00	<u>nent</u>	<b>Toxico</b>	logy	Data:
	٠.				

Chemical Name	CAS#	LD50/LC50
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	Oral LD50 Rat 5300 mg/kg (Source: IUCLID);
		Dermal LD50 Rabbit 3480 mg/kg (Source:
		IUCLID)
Ethanol, 2-(2-(2-ethoxyethoxy)ethoxy)-	112-50-5	Oral LD50 Rat 7750 mg/kg; Dermal LD50
		Rabbit 3540 mg/kg
Diethylene glycol	111-46-6	Dermal LD50 Rabbit 11890 mg/kg (Source:
		NLM_CIP); Oral LD50 Rat 12565 mg/kg
		(Source: IUCLID)
3,6,9,12-Tetraoxahexadecan-1-ol	1559-34-8	Oral LD50 Rat 5175 mg/kg (Source: IUCLID);
		Dermal LD50 Rat >4000 mg/kg (Source:
		IUCLID)

## XII. ECOLOGICAL INFORMATION

**Mobility:** This material is expected to have essentially no mobility in soil. It absorbs strongly to

most soil types. {EMSFORM\_12MOBA}

**Bioconcentration:** Bioconcentration is not expected to occur.

**Degradability:** Biodegrades at a moderate rate.

Toxicity to Aquatic Invertebrates: Triethylene glycol monobutyl ether Diethylene glycol monomethyl ether 3,6,9,12-Tetraoxahexadecan-1-ol Triethylene glycol monobutyl ether Triethylene glycol monomethyl ether 3,6,9,12-Tetraoxahexadecan-1-ol	CAS # 143-22-6 111-46-6 112-35-6 1559-34-8 143-22-6 112-35-6 1559-34-8	Results 48 Hr EC50 Daphnia magna: >500 mg/L 48 Hr EC50 Daphnia magna: 84000 mg/L 48 Hr EC50 Daphnia magna: >500 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L 48 Hr EC50 Desmodesmus subspicatus: >500 mg/L 72 Hr EC50 Desmodesmus subspicatus: >500 mg/L 96 Hr EC50 Pseudokirchneriella subcapitata: >1000
		mg/L
<b>Toxicity to Fish:</b> Triethylene glycol monobutyl ether	CAS # 143-22-6	Results 96 Hr LC50 Leuciscus idus: 2200 - 4600 mg/L [static]; 96 Hr LC50 Pimephales promelas: 2400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 2400 mg/L
Diethylene glycol	111-46-6	96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through]
Triethylene glycol monomethyl ether	112-35-6	96 Hr LC50 Pimephales promelas: >10000 mg/L [static]; 96 Hr LC50 Brachydanio rerio: >5000 mg/L [static]; 96 Hr LC50 Leuciscus idus: >10000 mg/L [static]
3,6,9,12-Tetraoxahexadecan-1-ol	1559-34-8	96 Hr LC50 Salmo gairdneri: >1000 mg/L

### XIII. DISPOSAL CONSIDERATIONS

**Disposal of Packaging:** Recycle containers whenever possible.

**Disposal Methods**: Dispose of according to Federal, State, Local, or Provincial regulations.

## XIV. TRANSPORTATION INFORMATION

**D.O.T.** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

### XV. REGULATORY INFORMATION

**TSCA Status:** All components of this material are on the US TSCA Inventory or are exempt.

**State Restrictions:** Not applicable

WHMIS: D2B

Chemical Name	Regulation	CAS#	% Range
None.	CERCLA RQ		
None.	SARA 313		
None.	SARA 302-EHS		
None.	TSCA 12b export		
	notification		
None.	CA Prop 65 – Cancer		
None.	CA Prop 65 - Dev. Toxicity		
None.	CA Prop 65 - Reprod –fem		
None.	CA Prop 65 - Reprod –male		
Diethylene glycol	Canadian WHMIS List	111-46-6	10 - 30
None.	Massachusetts RTK List		
None.	New Jersey RTK List		
Ethanol, 2,2'-oxybis-	Pennsylvania RTK List	111-46-6	10 - 30
Diethylene glycol	Minnesota Hazardous	111-46-6	10 - 30
	Substance List		

#### Consumer Product Safety Improvement Act of 2008 General Conformity Certification:

This product has been evaluated and certified to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

#### XVI. ADDITIONAL INFORMATION

**Supersedes:** 2/23/2015 10:06:47 AM **Revision Date:** 3/19/2015 4:30:28 PM

**References:** ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit TLV: Threshold limit value

TSCA: Toxic Substances Control Act TWA: Time weighted average

**UN: United Nations** 

WHMIS: Workplace Hazardous Materials Information System

**Disclaimer:** This safety data sheet and the information it contains is offered to you in good faith as accurate.

We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.