

RUST BREAKER

Safety Data Sheet according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 02/17/2017 Revision date: 02/17/2017 Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product form	: Mixtures
Product name	: Rust Breaker
Product code	: PM0394C
1.2. Recommended use and restriction	
Recommended use	: Penetrant
	. Toronant
1.3. Supplier	
Manufacturer	Distributor
The Penray Companies, Inc.	Aftermarket Auto Parts Alliance, Inc.
440 Denniston Ct. Wheeling, IL 60090	2706 Treble Creek, San Antonio, TX 78258 8001 Keele St. Concord, ON L4K 1Y8, Canada
T (800) 373-6729	Ph. 210.492.4868 www.alliance1.com
rotto@penray.com	
1.4. Emergency telephone number	
Emergency number	: (800) 373-6729
	CHEMTREC (800) 424-9300
	CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazard identification	
2.1. Classification of the substance or r	nixture
Classification (GHS-CA)	
Flam. Aerosol 1 H222	
Press. Gas (Liq.) H220	
Acute Tox. 4 (Dermal) H312	
Skin Irrit. 2 H315	
Eye Irrit. 2 H319	
STOT RE 1 H372	
Asp. Tox. 1 H304	
Full text of hazard classes and H-statements : s	ee section 16
2.2. GHS Label elements, including pre	cautionary statements
GHS-CA labelling	
Hazard pictograms (GHS-CA)	
Signal word (GHS-CA)	GHS02 GHS04 GHS07 GHS08 : Danger
,	-
Hazard statements (GHS-CA)	: H222 - Extremely flammable aerosol H280 - Contains gas under pressure; may explode if heated
	H312 - Harmful in contact with skin
	H315 - Causes skin irritation
	H319 - Causes serious eye irritation
	H372 - Causes damage to organs through prolonged or repeated exposure
	H304 - May be fatal if swallowed and enters airways
Precautionary statements (GHS-CA)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking P211 Do not spray on an open flame or other ignition source
	P211 - Do not spray on an open flame or other ignition source P251 - Do not pierce or burn, even after use
	P260 - Do not breathe dust, fume, gas, mist, spray, vapours
	P264 - Wash hands thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product
	P280 - Wear eye protection, face protection, protective gloves, protective clothing
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
	P331 - Do NOT induce vomiting
	P302+P352 - IF ON SKIN: Wash with plenty of water P362+P364 - Take off contaminated clothing and wash it before reuse
	1 002 11 004 Trake on containinated dothing and wash it before rease
02/17/2017	EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

P314 - Get medical advice/attention if you feel unwell P332+P313 - If skin irritation occurs: Get medical advice/attention

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P312 - Call a POISON CENTER or doctor if you feel unwell P405 - Store locked up P410+P403 - Protect from sunlight. Store in a well-ventilated place P412 - Do not expose to temperatures exceeding 50 °C/ 122 °F P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

51% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2.	Mixtures
------	----------

Name	Product identifier	%
Distillates, petroleum, hydrotreated light naphthenic	(CAS No) 64742-53-6	25
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	15
2-Butoxyethanol	(CAS No) 111-76-2	10

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.	
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. Call a POISON CENTER or doctor/physician if you feel unwell.	
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.	
First-aid measures after ingestion	: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.	
4.2. Most important symptoms and eff	ects (acute and delayed)	
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.	
Symptoms/injuries after skin contact	: Harmful in contact with skin. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.	
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.	
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	
4.3. Immediate medical attention and s	special treatment, if necessary	
Other medical advice or treatment	: Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical	

ON 5: Fire-fighting measures		
Suitable extinguishing media		
extinguishing media	:	Treat for surrounding material.
Unsuitable extinguishing media		
le extinguishing media	:	Do not use water jet.
Specific hazards arising from the hazardous product		
ard		Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon.
n hazard	:	Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
	extinguishing media Unsuitable extinguishing media ole extinguishing media	Suitable extinguishing media extinguishing media Unsuitable extinguishing media ble extinguishing media Specific hazards arising from the hazar ard

advice immediately (show the label or SDS where possible).

Safety Data Sheet

according to the Hazardous Products Regulation (F	ebruary 11, 2015)	
5.4. Special protective equipment ar	5.4. Special protective equipment and precautions for fire-fighters	
Firefighting instructions	: DO NOT fight fire when fire reaches explosives. Evacuate area.	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.	
SECTION 6: Accidental release m	neasures	
6.1. Personal precautions, protective	e equipment and emergency procedures	
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.	
6.2. Methods and materials for conta	ainment and cleaning up	
For containment	: Stop leak if safe to do so. Eliminate sources of ignition. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.	
6.3. Reference to other sections		
For further information refer to section 8: "Ex	posure controls/personal protection"	
SECTION 7: Handling and storage	e	
7.1. Precautions for safe handling		
Precautions for safe handling	: Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not spray on an open flame or other ignition source.	
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.	
Additional hazards when processed	: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.	
Storage conditions	: Keep out of the reach of children. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Store away from direct sunlight or other heat sources.	
Storage area	: Store in a well-ventilated place.	
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
2-Butoxyethanol (111-76-2)		

2-Butoxyethanol (111-76-2)			
USA -	ACGIH	ACGIH TWA (ppm)	20 ppm
8.2. Appropriate engineering controls			
Approp	riate engineering controls	: Use ventilation adequate to keep ex recommended exposure limits.	posures (airborne levels of dust, fume, vapor, etc.) below
Environ	mental exposure control	: Maintain levels below Community er	vironmental protection thresholds.
8.3.	8.3. Individual protection measures/Personal protective equipment		

Hand protection:

Wear suitable gloves resistant to chemical penetration

Eye protection:

Wear approved eye (properly fitted dust- or splash-proof chemical safety goggles) / face (face shield) protection.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Aerosol. Clear		
Colour	: Colourless		
Odour	: Solvent		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Relative evaporation rate (ether=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: -25 °C / -13 °F (1,1-Difluoroethane)		
Flash point	: > -50 °C / > -58 °F (1,1-Difluoroethane)		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Extremely flammable aerosol		
Vapour pressure	: No data available		
Vapour pressure at 50 °C	: No data available		
Relative density	: 0.863 - 0.871		
Solubility	: No data available		
Partition coefficient n-octanol/water	: No data available		
Viscosity, kinematic	: No data available		
Explosive limits	: No data available		
9.2 Other information			

9.2. Other information No additional information available

SECTION 10: Stability and reaction	vity
10.1. Reactivity	
Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Extreme risk of explosion by shock, friction, fire or other sources of ignition.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Sparks. Open flame. Direct sunlight. Heat. Incompatible materials.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified.	
Acute toxicity (dermal)	: Harmful in contact with skin.	
Acute toxicity (inhalation)	: Not classified.	
F394		
LD50 oral rat	> 2000 mg/kg (Calculated Acute Toxicity Estimate)	
LD50 dermal	> 1000 but ≤ 2000 mg/kg (Calculated Acute Toxicity Estimate)	
LC50 inhalation rat	> 5 mg/l/4h (Calculated Acute Toxicity Estimate)	
Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	2180 mg/m ³ (Exposure time: 4 h)	
Petroleum distillates, hydrotreated light (64742-47-8)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	> 5.2 mg/l/4h	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2-Butoxyethanol (111-76-2)	
LD50 oral rat	470 mg/kg
LD50 dermal rabbit	99 mg/kg
LC50 inhalation rat	450 ppm/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.

F394	
Vaporizer	Aerosol
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
Symptoms/injuries after skin contact	: Harmful in contact with skin. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: May cause long-term adverse effects in the aquatic environment.	
Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)		
LC50 fish 1	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Petroleum distillates, hydrotreated light (64742-47-8)		
LC50 fish 1	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 fish 2	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
2-Butoxyethanol (111-76-2)		
LC50 fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
F394		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
F394		
Bioaccumulative potential	Not established.	
Petroleum distillates, hydrotreated light (64742-47-8)		
BCF fish 1	61 - 159	
2-Butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water	0.81 (at 25 °C)	
12.4. Mobility in soil		
2-Butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water	0.81 (at 25 °C)	
2.5. Other adverse effects		
No additional information available		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

according to the Hazardous Products Regulation (Februa	ary 11, 2015)	
SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.	
Additional information	: Flammable vapours may accumulate in the container.	
SECTION 14: Transport information		
14.1. Basic shipping description		
In accordance with TDG		
Transportation of Dangerous Goods		
UN-No. (TDG)	: UN1950	
TDG Primary Hazard Classes	: 2.1	
Transport document description	: UN1950 AEROSOLS, 2.1	
Proper Shipping Name (TDG)	: AEROSOLS, Limited Quantity	
Hazard labels (TDG)		
14.2. Transport information/DOT		
No additional information available		
14.3. Air and sea transport		
No additional information available		
SECTION 15: Regulatory information		
15.1. National regulations		
All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.		
15.2. International regulations		
No additional information available		
SECTION 16: Other information		
Date of issue	: 02/17/2017	
Revision date	: 02/17/2017	
Other information	: None.	
Prepared by	: Nexreg Compliance Inc.	
	www.Nexreg.com	

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.