



# Instant De-Icer

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 02/24/2017

Revision date: 02/24/2017

Version: 1.0

## SECTION 1: Identification

### 1.1. Product identifier

Product name : Instant De-Icer  
Product code : PM0796C

### 1.2. Recommended use and restrictions on use

Recommended uses and restrictions : SPRAY DE-ICER

### 1.3. Supplier

#### Manufacturer

The Penray Companies, Inc.  
440 Denniston Ct.  
Wheeling, IL 60090  
T (800) 373-6729  
[rotto@penray.com](mailto:rotto@penray.com)

#### Distributor

Aftermarket Auto Parts Alliance, Inc.  
2706 Treble Creek, San Antonio, TX 78258  
8001 Keele St. Concord, ON L4K 1Y8, Canada  
Ph. 210.492.4868 [www.alliance1.com](http://www.alliance1.com)

### 1.4. Emergency telephone number

Emergency number : (800) 373-6729  
CHEMTREC (800) 424-9300  
CHEMTREC International +1 (703) 527-3887 24 hr

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

#### Classification (GHS-CA)

Flam. Aerosol 1	H222
Press. Gas (Comp.)	H280
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Acute Tox. 3 (Inhalation)	H331
Eye Irrit. 2A	H319
Repr. 1B	H360
STOT SE 2	H371
STOT SE 3	H336
STOT RE 1	H372

### 2.2. GHS Label elements, including precautionary statements

#### GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) :

Danger

Hazard statements (GHS-CA) :

H222 - Extremely flammable aerosol  
H280 - Contains gas under pressure; may explode if heated  
H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled  
H319 - Causes serious eye irritation  
H360 - May damage fertility or the unborn child  
H371 - May cause damage to organs  
H336 - May cause drowsiness or dizziness  
H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-CA) :

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P211 - Do not spray on an open flame or other ignition source  
P251 - Do not pierce or burn, even after use  
P260 - Do not breathe dust, fume, gas, mist, spray, vapours  
P264 - Wash hands thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area

# PM0796

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

P280 - Wear eye protection, face protection, protective clothing, protective gloves  
P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P302+P352 - IF ON SKIN: Wash with plenty of water  
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse  
P312 - Call a POISON CENTER or doctor if you feel unwell  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P311 - Call a POISON CENTER or doctor  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P405 - Store locked up  
P410+P403 - Protect from sunlight. Store in a well-ventilated place  
P412 - Do not expose to temperatures exceeding 50 °C/122 °F  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-CA)

6.3% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
6.3% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
6.3% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation)

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Methyl alcohol	(CAS No) 67-56-1	91.40
2-Butoxyethanol	(CAS No) 111-76-2	2.00
Morpholine	(CAS No) 110-91-8	0.30

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical advice/attention.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/injuries after inhalation : Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation. May cause respiratory irritation. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Toxic in contact with skin. Repeated exposure to this material can result in absorption through skin causing significant health hazard. May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard. May cause stomach distress, nausea or vomiting.

Potential adverse human health effects and symptoms : Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed.

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

# PM0796

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Powder. Water spray. Foam. Carbon dioxide.

#### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : None known.

#### 5.3. Specific hazards arising from the hazardous product

Fire hazard : Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon.  
Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

#### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area.  
Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant ignition source and flash back. Use water spray to keep fire-exposed containers cool. Burns with a colourless invisible flame. In case of fire and/or explosion do not breathe fumes.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Remove ignition sources. Use special care to avoid static electric charges.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Stop leak if safe to do so. Eliminate sources of ignition. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).  
Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.  
Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.  
Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.  
Storage conditions : Keep out of the reach of children. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Store in a dry, cool and well-ventilated place. Store locked up.  
Incompatible materials : Heat sources. Direct sunlight.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Methyl alcohol (67-56-1)		
USA - ACGIH	ACGIH TWA (ppm)	200 ppm
USA - ACGIH	ACGIH STEL (ppm)	250 ppm
2-Butoxyethanol (111-76-2)		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm
Morpholine (110-91-8)		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

# PM0796

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
- Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wash hands, forearms and face thoroughly after handling.

#### Hand protection:

Wear chemically resistant protective gloves.

#### Eye protection:

Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### Other information:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Clear. Aerosol
- Colour : Colourless
- Odour : Odourless
- Odour threshold : No data available
- pH : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Relative evaporation rate (ether=1) : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : Extremely flammable aerosol
- Vapour pressure : No data available
- Vapour pressure at 50 °C : No data available
- Relative density : 0.8255 - 0.8308
- Solubility : No data available
- Partition coefficient n-octanol/water : No data available
- Viscosity, kinematic : No data available
- Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

- Reactivity : No dangerous reaction known under conditions of normal use.
- Chemical stability : Stable under normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

# PM0796

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Conditions to avoid	: Heat. Incompatible materials. Sources of ignition.
Incompatible materials	: Acids. Bases. Metals. Strong oxidizing agents.
Hazardous decomposition products	: May include, and are not limited to: oxides of carbon.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Toxic if swallowed.
Acute toxicity (dermal)	: Dermal: Toxic in contact with skin.
Acute toxicity (inhalation)	: Inhalation:gas: Toxic if inhaled.

PM0796C	
LD50 oral rat	>50 but ≤300 mg/kg (Calculated Acute Toxicity Estimate)
LD50 dermal rabbit	>200 but ≤1000 mg/kg (Calculated Acute Toxicity Estimate)
LC50 inhalation rat	>2.0 but ≤10.0 mg/l/4h (Calculated Acute Toxicity Estimate)

Methyl alcohol (67-56-1)	
LD50 oral rat	6200 mg/kg
LC50 inhalation rat	22500 ppm/8h

2-Butoxyethanol (111-76-2)	
LD50 oral rat	470 mg/kg
LD50 dermal rabbit	99 mg/kg
LC50 inhalation rat	450 ppm/4h

Morpholine (110-91-8)	
LD50 oral rat	1050 mg/kg
LD50 dermal rabbit	310 - 810 mg/kg
LC50 inhalation rat	8000 ppm (Exposure time: 8 h)

Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: May cause damage to organs. May cause drowsiness or dizziness.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified.

PM0796C	
Vaporizer	Aerosol

Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.
Symptoms/injuries after inhalation	: Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation. May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Toxic in contact with skin. Repeated exposure to this material can result in absorption through skin causing significant health hazard. May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard. May cause stomach distress, nausea or vomiting.
Potential adverse human health effects and symptoms	: Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: May cause long-term adverse effects in the aquatic environment.
-------------------	---

Methyl alcohol (67-56-1)	
LC50 fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

# PM0796

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>2-Butoxyethanol (111-76-2)</b>	
LC50 fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

<b>Morpholine (110-91-8)</b>	
LC50 fish 1	350 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 fish 2	375 - 460 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

### 12.2. Persistence and degradability

<b>PM0796C</b>	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

<b>PM0796C</b>	
Bioaccumulative potential	Not established.

<b>Methyl alcohol (67-56-1)</b>	
BCF fish 1	< 10
Partition coefficient n-octanol/water	-0.77

<b>2-Butoxyethanol (111-76-2)</b>	
Partition coefficient n-octanol/water	0.81 (at 25 °C)

<b>Morpholine (110-91-8)</b>	
BCF fish 1	0.3 - 2.8
Partition coefficient n-octanol/water	-2.55 (at 25 °C)

### 12.4. Mobility in soil

<b>Methyl alcohol (67-56-1)</b>	
Partition coefficient n-octanol/water	-0.77

<b>2-Butoxyethanol (111-76-2)</b>	
Partition coefficient n-octanol/water	0.81 (at 25 °C)

<b>Morpholine (110-91-8)</b>	
Partition coefficient n-octanol/water	-2.55 (at 25 °C)

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.

Additional information : Flammable vapours may accumulate in the container.

## SECTION 14: Transport information

### 14.1. Basic shipping description

In accordance with TDG

### Transportation of Dangerous Goods

UN-No. (TDG) : UN1950  
TDG Primary Hazard Classes : 2.1  
TDG Subsidiary Classes : 6.1  
Transport document description : UN1950 AEROSOLS, 2.1 (6.1)  
Proper Shipping Name (Transportation of Dangerous Goods) : AEROSOLS

Hazard labels (TDG) :



# PM0796

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 14.2. Transport information/DOT

No additional information available

### 14.3. Air and sea transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. National regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

### 15.2. International regulations

No additional information available

## SECTION 16: Other information

Date of issue : 02/24/2017  
Revision date : 02/24/2017  
Other information : None.  
Prepared by : Nexreg Compliance Inc.  
[www.Nexreg.com](http://www.Nexreg.com)



*Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.*