

 Purple Cleaner
 Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Date of issue: 12/16/2016 Revision date: 12/16/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product name	: Purple Cleaner
	: 1340
1.2. Recommended use and restrictions of	on use
Recommended use	: Cleaner
1.3. Supplier	
The Penray Companies, Inc. 440 Denniston Ct. Wheeling, IL 60090 T (800) 373-6729	
Manufactured For: Aftermarket Auto Parts Alliance San Antonio, TX 78258 210-492-4868 www.alliance1.com	
1.4. Emergency telephone number	
Emergency number	: 210-492-4868 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazards identification	
2.1. Classification of the substance or mix	xture
GHS-US classification	
Repr. 2	
STOT RE 1	
2.2. GHS Label elements, including preca	utionary statements
GHS-US labelling	
Hazard pictograms (GHS-US)	: GHS08
Signal word (GHS-US)	: Danger
	 Suspected of damaging fertility or the unborn child Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS-US)	 Obtain special instructions before use Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray Wash hands, forearms and face thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection If exposed or concerned: Get medical advice/attention Get medical advice/attention if you feel unwell Store locked up Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixtures		
Name	Product identifier	%
Boric acid (HBO2), sodium salt, tetrahydrate	(CAS No) 10555-76-7	1 - 5
2-Butoxyethanol	(CAS No) 111-76-2	1 - 5

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation :	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact :	If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.	
First-aid measures after eye contact :	In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.	
First-aid measures after ingestion :	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects	(acute and delayed)	
Symptoms/injuries after inhalation :	May cause respiratory tract irritation.	
Symptoms/injuries after skin contact :	May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.	
Symptoms/injuries after eye contact :	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.		
4.2 Immediate medical attention and anon	is treatment if necessary	

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguis	Suitable (and unsuitable) extinguishing media	
Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide. Water fog.		
Unsuitable extinguishing media : None known.		
5.2. Specific hazards arising from the chemical		
Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.		
Reactivity	: No dangerous reaction known under conditions of normal use.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray or fog for cooling exposed containers.	

SECTION 6: Accidental release measures

 6.1.
 Personal precautions, protective equipment and emergency procedures

 General measures
 : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

6.2. Environmental prec	autions		
Do not allow material to contam	ninate ground water system.		
6.3. Methods and material for containment and cleaning up			
For containment	container. Do not flush t	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods for cleaning up	: Scoop up material and r	coop up material and place in a disposal container. Provide ventilation.	
6.4. Reference to other	sections		
For further information refer to	section 8: "Exposure controls/personal protect	tion"	
SECTION 7: Handling a	nd storage		
7.1. Precautions for safe	a handling		
swallow. Handle and open container with care.		and eyes. Do not breathe dust, fume, gas, mist, spray, vapours. Do not ben container with care. When using do not eat, drink or smoke. Obtain bre use. Do not handle until all safety precautions have been read and hal protective equipment as required.	
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.		
7.2. Conditions for safe	storage, including any incompatibilities		
Storage conditions	: Keep out of the reach o ventilated place.	Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well- ventilated place.	
	entrole/nercencl protection		
	controls/personal protection		
	salt, tetrahydrate (10555-76-7)		
Not applicable			
2-Butoxyethanol (111-76-2)			
ACGIH	ACGIH TWA (ppm)	20 ppm	
OSHA	OSHA PEL (TWA) (mg/m ³)	240 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	50 ppm	
OSHA	Limit value category (OSHA)	prevent or reduce skin absorption	
IDLH	US IDLH (ppm)	700 ppm	
NIOSH	NIOSH REL (TWA) (mg/m ³)	24 mg/m ³	

5 ppm

: Maintain levels below Community environmental protection thresholds.

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

Potential for dermal absorption

Wear suitable gloves.

Eye protection:

Hand protection:

NIOSH

NIOSH

8.2.

8.3.

Safety glasses or goggles are recommended when using product.

Appropriate engineering controls

NIOSH REL (TWA) (ppm)

Individual protection measures/Personal protective equipment

US-NIOSH chemical category

Skin and body protection:

Wear suitable protective clothing

Appropriate engineering controls

Environmental exposure controls

Respiratory protection:

recommended exposure limits.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

SECTION 5. Physical and chemical p	
9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Appearance	: Clear
Colour	: Purple
Odour	: No data available
Odour threshold	: No data available
рН	: 10.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Does not flash
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.04
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	

10.1.	Reactivity
No dange	erous reaction known under conditions of normal use.
10.2.	Chemical stability
Stable ur	nder normal storage conditions.
10.3.	Possibility of hazardous reactions
No dange	erous reaction known under conditions of normal use.
10.4.	Conditions to avoid
Heat. Inc	ompatible materials.
10.5.	Incompatible materials
Strong ad	cids.
10.6.	Hazardous decomposition products
May inclu	ide, and are not limited to: ovides of carbon

May include, and are not limited to: oxides of carbon.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 11: Toxicological information	on		
1.1. Information on toxicological effects			
Acute toxicity : Not classified.			
Purple Cleaner			
LD50 oral rat	> 2000 mg/kg (Calculated Acute Toxicity Estimate)		
LD50 dermal rabbit	> 2000 mg/kg (Calculated Acute Toxicity Estimate)		
LC50 inhalation rat	> 20 mg/l 4h (Calculated Acute Toxicity Estimate)		
2-Butoxyethanol (111-76-2)			
LD50 oral rat	470 mg/kg		
LD50 dermal rabbit	99 mg/kg		
LC50 inhalation rat	450 ppm/4h		
Skin corrosion/irritation	: Not classified.		
	: Not classified.		
Serious eye damage/irritation			
Respiratory or skin sensitisation	: Not classified.		
Germ cell mutagenicity	: Not classified.		
Carcinogenicity	: Not classified.		
2-Butoxyethanol (111-76-2)			
IARC group	3 - Not classifiable		
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.		
Specific target organ toxicity (single exposure)	: Not classified.		
Aspiration hazard	: Not classified.		
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.		
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.		
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.		
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.		
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.		
SECTION 12: Ecological information			
2.1. Toxicity			
Ecology - general	: May cause long-term adverse effects in the aquatic environment.		
	· · ·		
2-Butoxyethanol (111-76-2)			
LC50 fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
12.2. Persistence and degradability			
Purple Cleaner			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
Purple Cleaner			
Bioaccumulative potential	•		
2-Butoxyethanol (111-76-2)	·		
Partition coefficient n-octanol/water	0.81 (at 25 °C)		
	0.01 (di 20 0)		

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming

: No known effects from this product.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.	

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for: Boric acid (HBO2), sodium salt, tetrahydrate CAS No 10555-76-7

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

2-Butoxyethanol (111-76-2)	
U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information		
Date of issue	: 12/16/2016	
Revision date	: 12/16/2016	
Other information	: None.	
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com	NEXREG
NFPA health hazard	: 0	
NFPA fire hazard	: 1	
NFPA reactivity	: 0	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.